How to edit bios:

## Make sure your device is on bios 323 (Currently the latest and the one used for these APCB blocks)

Neoprogrammer -> Detect IC -> Read IC -> Save to dump -> Verify IC

Once your bios is dumped and verified (You must select verify IC After reading), save the file and make a copy as a backup (Store on the cloud if you can to always have it safe)

## Then do this step again (You can never be too safe and if you lose your bios you will have a brick) and make a second backup

Incase of emergency you can flash the old bios back.

Once you have your bios, open up your hex editor and open your dumped bios and the APCB block you need (**Make sure you're using the right file based on your old RAM**)

In this tutorial i'm using imhex, which will highlight the changes made to your block, in my case red.

Scroll to the block 00528000 and highlight till 0052A0B0 (The end of the block ends with a lot of FF)



Once highlighted the selection on imHex at the bottom should say 0x00528000 - 0x0052A0B3 (0x20B4 | 8.18kiB)

Address	00	01	02	03	04	05	06	07	08	09	0A	OB	0C	0D	OE	OF
00027610.	UN T				υn	hυ	$\overline{\mathbf{v}}$	VI.	Ψ£				70	υv	20	- 07
00529F00:	00				63	39	3F	14	FF				95	52	B3	1F
00529Fl0:	02				2F	B9	B3	1F	12				29	33	47	24
00529F20:	2A				2E	C4	06	26	07				D7	8C	ΒF	29
00529F30:	01				AF	Β4	61	2D	01				19	44	ΕO	34
00529F40:	00				FD	23	F3	3B	OF				D2	СВ	67	43
00529F50:	01				73	94	95	48	01				FC	F4	67	49
00529F60:	01				58	FA	11	4C	AA				A3	A2	ΒE	4D
00529F70:	02				F2	ΕO	5B	5D	10					36	F9	6E
00529F80:	00				8F	66	24	76	01				93	67	60	76
00529F90:	02				23	46	34	80					F6	41	57	84
00529FA0:	01				42	04	ΕE	87	01				29	85	B9	8F
00529FB0:	AO				39	ΒA	2B	9F	01				98	3F	90	AC
00529FC0:	00				4C	E3	4E	Al	01				6F	ЗA	6D	AF
00529FD0:	FF				33	80	64	B1	OF				DF	87	8D	B8

00529FE0:	FF	00	00	00	EF	76	01	CE	07	00	00	00	E2	85	EB	CF
00529FF0:	FF				C2	E8	85	DO					D6	C3	DB	D3
0052A000:	10				DA	59	B7	DD					D5	8E	DB	E5
0052A010:	OA				78	A0	F6	E6					4D	F3	F9	FF
0052A020:	00					30	02		28				02	01	08	20
0052A030:	04		FF	FF					FF	FF			9D		99	19
0052A040:	66	06			4A	1C	5C	AA	62	06				30	04	00
0052A050:	68				02	01	08	20	04		FF	FF	7B	E7	62	27
0052A060:	01				3C	0A	97	34	A6	OE			CF	F8	Bl	37
0052A070:	20				7B	7D	9B	3D				10	12	F5	DD	57
0052A080:	00	F8	FF		AC	63	66	59	1B				ED	A9	4F	7A
0052A090:	00			ΕO	53	37	C3	A7	01				5F	F6	83	CC
0052A0A0:	40	06			BF	15	B9	F6	00	00	00	00	7D	OD	56	FC
0052A0B0:	00	00	00	00	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A0C0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A0D0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A0E0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A0F0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A100:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A110:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A120:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A130:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A140:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A150:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A160:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A170:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A180:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A190:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A1A0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A1B0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052AIC0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A1D0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A1E0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A1F0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0052A200:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
Page:											0x0	1/0	(01			
Selection: 0>	(005	5280	000	- 0x	005	2AC	)B3 (	0x20	)B4	8.18	kiB)	)				
Aa 💡	abc	P	]													

Select the APCB file and highlight and copy it all, the section size should be the same (0x20B4 | 8.18kiB) if it's not stop as you could be doing something wrong

5 ୯	ß	E	Э							Ve	rfiec	i_A	lly_C	Dum	p_3	23_	1209	9202	3.bin	1 •	new	_chks	um_	fix_4k	(9.bi	n
Hex editor																										
Address	00	01	02	03	04	05	06	07	08	09	0A	OB	0C	0D	OE	OF										
000000000	41	50	43	42	80	00	30	00	B4	20	00	00	C2	4B	00	00	AF	CB.	0.0		. K					
00000010:	D															00										
00000020:	45	43	42	32	00		10		12			01	60			00	EC	B2								
00000030:	00		FF	FF	40											00	5	C.								
00000040	100															00	· ^									
00000060	00															00										
00000070:	00												42	43	50	41					BCPA					
00000080:	50	53	50	47	01	17	10		01				40			00	PS	SPG.			@					
00000090:	01	17	60		30							21			FF	FF		`.0								
000000A0:	03	00	06	00	00	00	01	00	55	01	00	FF	FF	FF	07	00			L							
00000080		07		47	07	17	104	07	03	05	0/	0/	40	100		00		uc.								
000000000	104	40 17	4D 30	4/	50	01	00		00			20	00	00	04	00	I VE	0 P								
000000E0:	00		08		00	00			02		48	00			00	00		Ŭ .		н						
000000F0:	23	11	13	0E	85	19	B5	18		40			0A	02		00	Þ.			¢						
00000100:	48		03	OF	92	54	05		AA		90	A8	90	90	06	CO	H.		Τ							
00000110:	03															00										
00000120:	00		00		00											00										
00000130			48		00											00		н								
00000140	00															00										
00000160:	00															00										
00000170:	00				E7	Cl			02		48		03			00				. H.						
00000180:	00															00										
00000190:	00															00										
00000IA0:	00															00										
00000160	02		48		05											00		H								
000001D0:	00	4D	54	36	32	46	31	47	33	32	44	34	44	52	2D	30		vT62I	F1 G3	32D4	IDR-0					
000001E0:	33	31	20	57	54		80	2C	41							00	31	WT.	, 4	4						
000001F0:	00															00										
00000200:	00		00			00			01		08			01		00										
00000210:		17	20		00	02			00		08	20		03	00	00		~ ~ ~								
00000220	00		08		00	00			02		48	00			00	00		U		. н						
00000240:	23	1	13	0E	86	21	B5	18	00	40	00		0A	02		00	Þ.			¢						
00000250:	00		03						2B		90	A8	90	C0	08	60			+							
00000260:	04															00										
00000270:	00		00		00											00										
00000280	02		48		0											00		H.								
00000290	00															00										
000002B0:	00															00										
000002C0:	00				E7	CI			02		48		03			00				. H.						
000002D0:	00															00										
000002E0:	00															00										
000002F0:	00															00										
00000300	00	00	48	00	05									00	00	00		н								
Page:											0x0	1/0	x01													
Selection: 0	x00	0000	000	- 0>	.000	0020	)B3 (	(0x2	0B4	8.18	kiB)															
Aa	abc	P)(																								

Once copied, paste it into your bios and it should highlight the changes in red:

Address	00	01	02	03	04	05	06	07	08	09	0A	OB	0C	0D	OE	OF	
UU5Z7FEU:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	
00527FF0:	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF .	
00528000:	41	50	43	42	80	00	30	00	B4	20	00	00	C2	4B	00	00	APCB. 0 K
0050000	1000															00	

00020010.		ΟŪ	00	00	00	00	00	00	ΟŪ	00	00	00	ΟŪ	00	00	00				
00528020:	45	43	42	32			10		12			01	60			00	ΕC	B2		
00528030:	00		FF	FF	40											00		. (c		
00528040:	58															00	X.			
00528050:	00															00				
00528060:	00															00				
00528070:	00												42	43	50	41				BCPA
00528080:	50	53	50	47	01	17	10		01				40			00	PS	PG		©
00528090:	01	17	60		30							21			FF	FF		°0		
005280A0:	03		06			0C	01		55	01		FF	FF	FF	07	00			. u	
005280B0:	02	07	01	03	07	02	04	07	03	05	07	07	06			00				
005280C0:	4D	45	4D	47	04	17	10		01				6C	۱A		00	ΝE	NG		1
005280D0:	04	17	30		50	01						20			04	00	!	0. P		
005280E0:	00		08						02		48					00			H.	
005280F0:	23	11	13	0E	85	19	B5	18		40			0A	02		00	<b>#</b>		©	
00528100:	48		03	OF	92	54	05		AA		90	A8	90	90	06	CO	Η.	T.		
00528110:	03															00				
00528120:	00															00				
00528130:	02		48		01											00		Η		
00528140:	00															00				
00528150:	00															00				
00528160:	00				00	00			00		00		00			00				
00528170:	00				E7	Cl			02		48		03			00			H.	
00528180:	00															00				
00528190:	00															00				
00528IA0:	00															00				
00528160	00		40		00											00	-	 Li		
00528100			40 57	26	22	44	21	47	22	22	44	24	11	50	20	201	 A.	Π. ΤΑΩΕΙ		
00528100	22	21	20	57	5Z	40	ତ ହନ	20	33 71	02 00	44	00	44	02	20	00	21	MT	^ ^	+LR-U
005281E0.	00	00	20	00	00		00	00	-00							00	01	WI	, A	
00528200	00								õĭ		08			õ		00				
00528210	õĭ		08			02			õ		08			03		00				
00528220	04	17	30		98	04			00		00	20		00	08	00		0		
00528230	00		08	00	00				02		48	00			00	00			н	
00528240:	23	11	13	OE	86	21		18	00	40	00			02		00	Þ.		. (c	
00528250:	00		03								90	A8	90	CO	08	60			. +.	
00528260:	04															00				
00528270:	00															00				
00528280:	02		48		01											00		Η		
00528290:	00															00				
005282A0:	00															00				
005282B0:	00															00				
005282C0:	00				E7	Cl			02		48		03			00			H.	
005282D0:	00															00				
005282E0:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00				
005282F0:	00															00				
Page:											0x0	I / 0;	x01							
Selection: 0>	(005	5280	000	- Ox	:005	52A0	DB3	(0x2	OB4	8.18	3 kiB	)								
Aa 🌻	abc	P	]																	
		<u> </u>	2																	

00528430:	02	00	48	00	05	01	00	00	-00	00	00	00	00	00	00	00		. H		
00528440:	00	4B	33	4C	4B	42	4B	42	30	42	4D	2D	4D	47	43	50		K3	LKBKBOB∧-	AGCP
00528450:	20	20	20	20	20		80	CE	4D										N	
00528460:	00																			
00528470:	00								02		48			02					H.	
00528480:	23	11	13	OE	86	21		18		40				02			ļ #		! @	
00528490:	00		03								90	A8	90	C0	08	60			+	
005284A0:	04																			
005284B0:	00																			
005284C0:	02		48		01	02												. H		
005284D0:	00																			
005284E0:	00																			
005284F0:	00																			
00528500:	00				E7	CI			02		48		03	02					H.	
00528510:	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00				
00528520	00																			
00528530	00	00			00		00		00		00		00			00				
00528540	00		00		00	00														
00528550	02	00	48	00	05	02	00	00	00	00	00	00	00	00	00	00		. H		
00528560:	00	4B	33	4C	4B	42	4B	42	30	42	4D	2D	4D	47	43	50		КЗІ	LKBKBOBN-	MGCP
00528570:	20	20	20	20	20		80	CE	4D										N	
00528580:	00								00		00			00						
00528590	00	00	00	00	00	00		00	02	00	48			03					H	
005285A0	23		13	UE	80	21		18		40	00	00	UA 20	02	00	00	F		! @	
00528580	00		03								90	A8 00	90	00	08	00			+	
00528500	04																			
00526500	$\sim$		40		00	$\frac{1}{2}$												· · ·		
005265EU			40		00	00												п		
00528600	00																			
00528600	00																			
00528620	00				F7	cī			02		48		03	03					н	
00528630	00				00	00			00		00		00	00						
00528640	00																			
00528650	00																			
00528660	00																			
00528670	02		48		05	03			00									н		
00528680	00	4B	33	4C	4B	42	4B	42	30	42	4D	2D	4D	47	43	50		K3	LKBKBOB <i>N</i> -	AGCP
00528690	20	20	20	20	20		80	CE	4D										N	
005286A0	00																			
005286B0:	00								04	17	30		98	04					0	
005286C0:	00			20			10				08									
005286D0:	02		48						23	11	15	0E	86	21	95	18		. H	<i>#</i>	
005286E0:	00	40			02	02					03	OF	92	54	05			6		. T
005286F0:	AA		90	A8	90	C0	08	60	04											
00528700:	00																			
00528710:	00								02		48		01						H.	
00528720:	00																			
00528730	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00				

005281C0:	02	00	48	00	05	00	00	00	00	00	00	00	00	00	00	00		H		<u></u>	
005281D0:	00	4D	54	36	32	46	31	47	33	32	44	34	44	52	2D	30		MT62	2F1 G3	32D4D	R-0
005281E0:	33	31	20	57	54		80	2C	41							00	3	I WT	, A	4	
005281F0:	00															00					
00528200:	00								01		08			01		00					
00528210:	01		08			02			01		08			03		00					
00528220:	04	17	30		98	04			00		00	20		00	08	00		0.			
00528230	00		08		00	00			02		48	00			00	00				Η	
00528240:	23	11	13	OF	86	21		18	00	40	00			02		00	ţ,			6	
00528250:	00	00	03	00	00	00		00		00	90	Α8	90	Ċ0	08	60				-	
00528260:	04	00	00	00	00		00	00	00	00	00	00	00	00	00	00					
00528270	00		00			00				00	00		00	00		00					
00528280	02	00	48		01					00			00			00		н			
00528290	0		00		00											00					
00528240	00															00					
005282R0	00															-00					
00528200	00				50 F7	CI			02		48		03			-00				Ц	
00528200	00				20	-00			02		40		-00			-00					
00520200.	00															-00					
00526210	00															00					
00528210.	00															00					
00528300.	00		40		00											00					
00528310.	UZ	40	48	00	40	100	40	00	00	100	100	00	100	00	00	001		H.	 940/		sep
00528320	00	4B	33	4C	4B	4Z	4B	42	30	4Z	4D	2D	4D	47	43	50		K3LK	BKBC	)BN- M	GCP
00528330	20	20	20	20	20		80	CE	4D							00			r	v.	
00528340	00								00		00			00		00					
00528350	00	00	00	00	00	00	00	00	02	00	48	00		UI 20	00	00				Н	
00528360	23		13	OE	86	21		18	00	40	00	00	OA	02	00	001	H			¢	
00528370:	00		03								90	A8	90	CO	08	60			+	-	
00528380:	04															00					
00528390:	00		00		00	00										00					
005283A0:	02		48		0I	01										00		Н			
005283B0:	00															00					
005283C0:	00															00					
005283D0:	00															00					
005283E0:	00				E7	CI			02		48		03	01		00				Н	
005283F0:	00															00					
00528400:	00															00					
00528410:	00															00					
00528420:	00															00					
00528430:	02		48		05	01										00		Н			
00528440:	00	4B	33	4C	4B	42	4B	42	30	42	4D	2D	4D	47	43	50		K3LK	BKBC	DBN-M	GCP
00528450:	20	20	20	20	20		80	CE	4D							00				v.	
00528460:	00															00					
00528470:	00								02		48			02		00				Н	
00528480:	23	11	13	OE	86	21		18		40				02		00	Þ			(c	
00528490:	00		03								90	A8	90	C0	08	60			+	-	
005284A0:	04															00					
005284B0:	00															00					
005284C0:	02		48		01	02										00		Н			
00 00 00 00 00 00 23 11 13 00 00 03 04 00 00	000 000 000 000 000				00 00 00 00	00 00 00 00	0 0 0 2 0	0 00 2 00 0 40 B 00 0 00		50 80 00 00		00000000000000000000000000000000000000	00 01 02 C0	00 00 00 00 00	00 00 00 60	ħ			· · · · · · · · · · · · · · · · · · ·	H	
00 00 00																					

02		48		01	01										00	H		
00															00			
00															00			
00															00			
00				E7	Cl			02		48		03	01		00		H.	
00															00			
00															00			
00															00			
00															00			
02		48		05	01										00	H		
00	4B	33	4B	4C	38	4C	38	30	43	4D	2D	4D	47	43	54	КЗК	L8L8OCM-	NGCT
20	20	20	20	20		80	CE	43							00		C	
00															00			
00								02		48			02		00		H.	
23	11		OE	86	21		18		40				02		00	<b>#</b>	. ! @	
00	00	03					00		00	90	A8	90	CO	08	60		+	
04	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
02		48		01	02										00	H.		
00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
00				E7	Cl			02		48		03	02		00		H	
00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
00															00			
00		00		00	00										00			
02	00	48	00	05	02	00	00	00	00	00	00	00	00	00	00	Н.,		
00	4B	33	4B	4C	38	4C	38	30	43	4D	2D	4D	47	43	54	кзк	L8L80CM-	MGCT
20	20	20	20	20		80	CE	43							00		C	
00								00		00			00		00			
00	00		00	00	00		00	02	00	48			03		00		H.	
23		3	UE	80	21		18		40	00	00	UA 00	02	00	00	<i>Ħ</i>	. ! @	
00		03								90	A8	90	CO	08	60		+	
04															00			
00		00		00	00										00			
02		48		UI OI	03										00	, . H		
00															00			
00															00			
00				00	00			00		00		00	00		00			
00				E/	CI			02		48		03	03		00		H.	
00															00			
00															00			
00	00	00	00	00	00	00	00	- 00	00	00	00	00	00	00	00			

This is the first APCB Block edit.

## This then will need to be repeated for the block 009B7000 -009B90B0

Use the same APCB file as before and follow the steps again

Address	00	01	02	03	04	05	06	07	08	09	ΟA	OB	0C	0D	OE	OF				
00760100.	00				01	00	47	10	VI.				70	07	50	<u> </u>			γ <b>ν</b>	· · · ·
009B8F90:	02				23	46	34	80					F6	41	57	84		.#F∙	4	AV.
009B8FA0:	01				42	04	EE	87	01		00		29	85	B9	8F		. В.		. )
009B8FB0:	AO				39	ΒA	2B	9F	01				98	ЗF	90	AO		. 9. •	+	?
009B8FC0:	00				4C	E3	4E	Al	01				6F	ЗA	6D	AF		. L. I	N	. o: n.
009B8FD0:	FF				33	80	64	Bl	OF				DF	87	8D	B8		. 3. (	d	
009B8FE0:	FF				EF	76	01	CE	07				E2	85	EΒ	CF	. = =	V.		
009B8FF0:	FF				C2	E8	85	DO					D6	C3	DB	D3				
009B9000:	10				DA	59	B7	DD					D5	8E	DB	E5		Y.		
009B9010:	0A				78	AO	F6	E6					4D	F3	F9	FF		. x		. N
009B9020:	00					30	02		28				02	01	08	20		0	(	
009B9030:	04		FF	FF					FF	FF			9D		99	19				
009B9040:	66	06			4A	IC	5C	AA	62	06				30	04	00	f	. J. '	∖.b	0
009B9050:	68				02	01	08	20	04		FF	FF	7B	E7	62	27	h			. (. b'
009B9060:	01				3C	0A	97	34	A6	OE			CF	F8	Bl	37		<	4	7
009B9070:	20				7B	7D	9B	3D				10	12	F5	DD	57		. ()	=	W
009B9080:	00	F8	FF		AC	63	66	59	1B				ED	Α9	4F	7A		c'	fΥ	Cz
009B9090:	00			ΕO	53	37	C3	A7	01				5F	F6	83	cd		. S7		
009B90A0:	40	06			ΒF	15	B9	F6					7D	0D	56	FC	¢.			.).V.
009B90B0:	00				FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF				
009B90C0:	FF	FF	FF	FF	FF	FF	FF	FF												
009B90D0:	FF	FF	FF	FF	FF	FF	FF	FF												
009B90E0:	FF	FF	FF	FF	FF	FF	FF	FF												
009B90F0:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9100:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9110:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9120:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9130:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9140:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9150:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9160:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9170:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9180:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9190:	FF	FF	FF	FF	FF	FF	FF	FF												
009B91A0:	FF	FF	FF	FF	FF	FF	FF	FF												
009B91B0:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9IC0;	FF	FF	FF	FF	FF	FF	FF	FF												
009B9ID0:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9IE0:	FF	FE	FF																	
009B91F0:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9200:	FF	FF	FF	FF	FF	FF	FF	FF												
009B9210	FF	FF	FF	FF	FF	FF	FF	FF												
009B9220	FF	FE	FF																	
009B9230	FF	FE	FF																	
009B9240	FF	FE	FF																	
009B9250	FF	FE	FE	FF	FF	FF	FF	FE	FE	FE	FE	FF	FF	FE	FE	FE				
009B9260	FF	FE	FE	FF	FE	FF	FF	FE	FE	FE	FE	FF	FE	FE	FE	FE				
009B9270	FF	FE	FE	FF	FF	FF	FF	FE	FE	FE	FE	FF	FF	FE	FE	FE				
009B9280	FF	FE	FE	FF	FF	FF	FF	FF	FF	FE	FE	FF	FE	FE	FE	FE				
009B9290	FF	FE	FF																	



Save your file as something like RCL71A\_modified.bin

On neoprogrammer wipe your IC and open RCL71A\_modified.bin, write it to IC.

Congrats, your bios is now changed.